



Micro Mill

PRODUCT INFORMATION




The figure below shows the operation of Isimsans Micro Mill.

The system consists of a horizontal mounted classifier (1) with combined product and air outlet (2), magnet box (3), material feeder (4), grinding rotor (5) and air or gas inlet (6). The specially designed feeder transfers the material into the grinding section. The impact action of the grinding rotor disperses the material into micronized particles.

The particles can be cooled or dried by air drawn through the mill by the fan. So the cooled or dried particles enter the classifying zone (1). The fine particles separated by the classifier leave the dryer at the outlet (2) and are collected in the filter unit.

The coarse particles rejected by the classifier are mixed with the feed material before being returned to the grinding section for further pulverization. Because of the mixing of the feed with the reject stream, materials which present difficult handling problems, such as adhesion or cohesion, are modified and can be processed more easily using this technique.

Applications: foods - chemicals - pharmaceuticals - building materials



TECHNICAL SPECIFICATIONS

FEATURES

Particle sizes: 0.04 - 0.2 mm

Hardness classes: <9 Mohs

Capacity: 500 - 1,250 kg/h

Material: carbon steel -
stainless steel

Surface: painted, standard RAL 1013

Size: 2.200 x 1.430 x 2.100 mm

Products: Chemical powders

Drive: 50 Hertz / 50 - 150 kW

Classifier wheel: hardened steel

OPTIONS

- Magnet box
- PLC system
- Rotary valve
- Frame and platform

TYPICAL BENEFITS

- Optimum accessibility
- Easy cleaning
- Deposit-free and gentle processing of pigments, powder coatings, etc.
- High air flow rate for cooling grinding
- Stable classifying characteristics and once set, the classifying remains constant

Isimsan designs Micro Mills according to customer specifications. This includes the choice of drive models, of feeding systems and of other equipments too.


For further information, please do not hesitate to come back to us.
We are there for you.

CERTIFICATIONS

Isimsan manufactures according to the following International directives and regulations:

- CE 2006/42/EC (machinery directive)
- EHEDG hygiene guidelines
- CE 2014/29/EU (pressure vessel directive)
- GMP (Good Manufacturing Practices)
- CE 2014/68/EU (pressure vessel directive)
- FDA (U.S. Food and Drug Administration)
- ATEX product line 2014/34/EU
- EAC (EuroAsia Conformity)

Isimsan is certified in terms of quality management (ISO 9001) environmental standards (ISO 14001), welding technology and supervision (ISO 3834 & 14731) and control technology (2006/42/EC).





WORLDWIDE SUPPORT

E-MAIL : sales @isimsan.com.tr

PHONE : + 90 232 877 05 82

Address: Cumhuriyet Mah.9081 Sok. No:59/1 Ulucak
Kemalpaşa İZMİR



www.isimsan.com.tr